

1/27




Fig. 1A




Fig. 1B

2/27




Fig. 1C

3/27




Fig. 1D




Fig. 1E

4/27




Fig. 1F



Fig. 1G

5/27




Fig. 2

6/27




Fig. 3A




Fig. 3B

7/27




Fig. 3C




Fig. 3D

8/27




Fig. 4A




Fig. 4B



9/27

lating condition: FGF-2 + EGF



lating condition: Fetal Bovine Serum




Fig. 5

10/27




Fig. 6

11/27




Fig. 7A





Fig. 7B

12/27



13/27




Fig. 9A




Fig. 9B

14/27




Fig. 10

15/27




Fig. 11A




Fig. 11B

16/27



Fig. 11C




Fig. 11D



Fig. 11E



17/27



Fig. 12A




Fig. 12B



Fig. 12C



Fig. 12D

18/27





Fig. 13

19/27





Fig. 14

20/27



ALCIAN BLUE/ALIZARIN RED CO-STAINING REVEALS CALCIUM  
ACCUMULATIONS WITHIN A LAYER OF CHONDROCYTIC PROTEOGLYCANS

Fig. 15

21/27




Fig. 16

22/27




Fig. 17

23/27




Fig. 18

24/27




Fig. 19



25/27




Fig. 20

26/27




Fig. 21

27/27

